Concussion Home Instructions

Your son/daughter has potentially sustained a head injury. In some instances, signs of a concussion do not become obvious until several hours or even days after the injury. Please be especially observant for the following signs and symptoms.

- Headache (especially one that increases in intensity*)
- Nausea and vomiting*
- Difference in pupil size from right to left eye, dilated pupils*
- Mental confusion/behavior changes
- Dizziness
- Memory loss
- Ringing in the ears
- Changes in gait or balance
- Blurry or double vision*
- Slurred speech*
- Noticeable changes in the level of consciousness (difficulty awakening, or losing consciousness suddenly)*
- Seizure activity*
- Decreased or irregular pulse OR respiration*

*Seek medical attention at the nearest emergency department or call 911

The best guideline is to note symptoms that <u>worsen</u>, and behaviors that seem to represent a change in your son/daughter. If you have any question or concern at all about the symptoms you are observing, contact your family physician for instructions.

Things that are OK to do:	Things that should NOT be	Things that are NOT
-Take acetaminophen (Tylenol)	allowed: -Strenuous activity or sports	needed: -Check eyes with flashlight
		j G
-Use ice packs on head or neck as needed for comfort	-Lift weights	-Wake them up every hour
-Eat a light diet	-Use cell phone or tablet/computer (NO SOCIAL MEDIA)	-Test reflexes
-Go to sleep (rest is extremely important)	-Drive while symptomatic	
-Return to school (unless otherwise specified)	-Take ibuprofen, aspirin, naproxen, or other non- steroidal anti-inflammatory medication	
	-Drink alcohol	

^{*}Please remind your child to check in with the School Nurse prior to going to class, on the first day he/she returns to school. Your child should also follow up with the Certified Athletic Trainer after school.